\$511,000

Lot 10 The Link, Rolleston



For Sale

House and Land Package

Dwelling Size	Section Size				
157m²	471m²	4	1	2	2

This home features four bedrooms, master with walk-in robe and ensuite, open plan kitchen living and dining, family bathroom and internal access double garaging. Well appointed for the sun on an easy care land-scaped section, offering quality fixtures and fittings throughout and finished to a high standard this design is sure to impress.

Just twenty minutes from Christchurch, Rolleston has so much to offer. You are spoilt for choice within New Zealand's fasting growing area. Offering retailers, eateries, parks and reserves along with a newly established primary school and Rolleston college in close proximity. Only for a short drive to central Rolleston with a shopping complex to cater all requirements.

Lot 10 The Link, Rolleston

Inclusions:

Quality cladding selections	Metal pressed tile roof	2.42m ceiling height
1.98m internal door height	Windsor door hardware	Designer kitchen
Bosch appliances	Italian tapware	LED light fittings
Norman Ellison carpets	8.0kw heatpump	Fully landscaped
Window coverings	After care service	10 year Master Build guarantee

Floor Plan:

DINING 13.8 so M DINING 13.8

Location:



Disclaimer: This material is for the use of illustrative and guidance purposes. All efforts have been made by Stonewood Homes Christchurch to ensure the information correctly illustrates the dwelling however Stonewood Homes accept no responsibility for any variances which maybe become apparent once the build commences.

Specification

Lot 10 The Link, Rolleston

GENERAL

Guarantee: 10 year Master Build guarantee

Warranty: 365 day warranty period

Insurance: Builders risk insurance

STRUCTURE

Foundation/floor slab: TC1 Ribraft

Framing: 2.42m NZ5S 3602:2003 with building wrap – 90mm kiln dried pine

Trusses: Kiln dried pine

Cladding (main): Brick – Midland Brick 70 series – Modus series

ROOFING

Roof: 25° Gerard metal pressed tile

Downpipes: Colorsteel rectangular 75x55mm

Fascia and gutter: Dimond metal fascia and quad gutter

WINDOWS AND DOORS

Entry door: APL 860mm Latitude with urbo lever

Windows: Vantage aluminium joinery with urbo hardware

Garage door: Coloursteel flat panel woodgrain 4.5m

Internal doors: 1980mm Everest (vertical V groove polycore)

Wardrobe doors: MDF flush panel sliders

Window coverings: Roller blinds excluding garage and bathrooms

INTERIOR LINING

Insulation: R2.4 wall batts, R4.0 ceiling batts excluding garage

Plasterboard: GIB board - 10mm to walls, aqualine to bathrooms and 13mm to ceilings

Gib stopping: Grade 4 paint finish in accordance with AS/NZ 2311:2009

Gib external corners: Gib square stop
Painting: Resene Zylone
Soffit linings: Hardiflex 4.5mm

INTERIOR JOINERY

Internal door hardware: Windsor Futura – Apex brushed nickel

Skirting: 60mm bevel

Wardrobe shelving: MDF shelf and rail

Cupboard shelving: MDF shelves x4

Specification

Lot 10 The Link, Rolleston

KITCHEN AND LAUNDRY

Kitchen and bench surface: Kitchen cabinetry and sink with TriStone 12mm on negative detail

Tapware: Paffoni Blu BLU180 high spout

Oven: Bosch HBF133BSOA – stainless steel oven

Hob: Bosch PKE611CA1A – stainless steel cooktop

Dishwasher: Bosch SMU50E75AU – stainless steel dishwasher

Rangehood: Bosch DWP96BC50A 600m3 – stainless steel canopy

Laundry tub: Aquatica Estasi 560x560 LE6200

FLOORING

Carpet: Norman Ellison

Vinyl planking: Karndean Knightplank

ELECTRICAL

Plugs / Light Fittings: As per plan

Heatpump: Fujitsu 8.0kw ASTG24LFCC

BATHROOMS AND PLUMBING

Vanities: Raymor Brighton 750mm

Mirrors: 1000 x 750 x 4mm polished edge

Toilets: Englefield Evora with standard seat

Showers: Arena curved with moulded wall

Bath: Newtech Indus back-to-wall freestanding bath

Tapware: Paffoni Blu BLU071

Shower slides: Paffoni Brio ZSAL194CR

Towel rails: Newtech 5 ladder square heated towel rail

Extractors: Weiss Clearflow FV160

Hot water cylinder: Rheem 250L

Exterior taps: 2

LANDSCAPING

Driveway and patio: Exposed aggregate

Vehicle crossing: Included

Soft landscaping: Hydroseed and planting to street frontage

Fencing: 1.8m timber paling to rear and side boundaries. 1.8m internal timber fenc-

ing to developers requirements including gate.

Letterbox and clothesline: Urban box on post / Sun King folding frame

Pictorial

Lot 10 The Link, Rolleston

Roof profile Front door Window hardware Garage door profile Internal doors Internal door hardware Ceramic cooktop Oven Rangehood Dishwasher Laundry tub Kitchen tapware Showers Vanity Bath Basin mixers Shower slides Shower / bath mixers Toilet Towel rail

Colour Scheme

Lot 10 The Link, Rolleston

EXTERIOR

Garage door frame:

Roof: Pearl grey
Fascia / Gutter / Downpipes: Grey friars
Window joinery: Grey friars
Front door: Grey friars
Front door frame: Grey friars
Garage door: Grey friars

Soffits: Resene half black white

Exterior cladding (main): Ceniza with natural mortar

Grey friars

INTERIOR

Ceilings: Resene half black white

Walls: Resene black white

Interior doors: Resene black white

Skirting: Resene black white

Carpet: Dalton - Woodland

Vinyl plank: Pale limed oak

Kitchen cabinetry: Melteca - Snow drift

Kitchen benchtop: TriStone 12mm – Pure white on black

pearl negative detail

Tiles (kitchen splashback): White tile (100x300mm) with mid-


night grout

Aluminium wardrobe

surrounds:

White


Exterior:




Interior:





Kitchen:





15.00





	SI		'LAN	NOTE	=5
Droir	2000	Dla	o for o	nagifia	drainac

information

Refer to sediment control plan in specification and implement where required.

Driveway – By Stonewood Homes as shown OR Driveway and Sump not part of this building consent

Convey surface water from sealed drive areas to an appropriate approved outfall.

Dimensions are shown to cladding face

Resource Consent Issues: 1/ No RC Issues known

SITE INFORMATION Wind Earthquake 1/2/3/4 B/C/D Durability N x at xxm (up to x kPa) Snow

BUILDING AREA AND SITE COVERAGE

Net Site Area =471m²

Building Area (O/V) =156.23m² (Includes covered areas)

Max Site Coverage Allowed:00%

Actual Site Coverage=33.16%

EARTI	HWORKS	
Proposed F.G.L =	xxm	
Proposed F.F.L =	xxm	
FMA level:	xxm	

SITE ASSESSMENT & SOIL REPORT Site assessement data supplied from:

TBC (registered surveyor) Phone: Date completed: Levels are relative to:


This dwelling has been designed according

to the recommendations from: Soil Report by:

XXXXXX Date: XX-XX-XXXX

TBC

xx-xx-xxx






WINDOW	SCHEDUL	.E
LABEL		QTY
WA518		2
WA1106		1
WA1112		1
WA1109T		1
WA1415T		4
WA2115T		1
WA21045		3
DSA2124-3		1

DOOR SCHEDULE	Ξ
LABEL	QTY
710	3
760	2
810	4
AD2186	1
FD2186	1
2.4 X 1.16M 2PSL	1
2.4 X 1.57M 2PSL	1
2.4 X 1.6M 2PSL	1
2.4 X 1.9M 2PSL	1
4.5M GARAGE DOOR	1

Grey Tint to Bed 1 windows





6 434

1 230 90

ROOF & WALL CLADDING

Roof - 25° Pressed Tile Walls -70 Series Brick Veneer Feature -70 Series Brick over 60mm cavity

BUILDING AREA

AREA:149.66m2 O/F (Perimeter: 53.86m) AREA:156.23m² O/V (Perimeter: 54.90m)

AREA:183.01 m² Roof (Perimeter: 56.96m)

GENERAL FLOOR PLAN NOTES

SMOKE ALARMS (hush type)



Smoke Alarms to be fitted within 3.0m of sleeping areas and on Escape routes, as indicated on plan. Refer to Construction Schedule (Page 2 & 3) in the Specification for more information

MISCELLANEOUS:

Dimensions shown are to the frame,

GIB thickness not shown.

Refer to Construction Schedule (Page 2 & 3 of Specification) for additional construction information Entry through external doors

Mechanical ventilation

Air Seals to have PEF rod & low expansion foam All windows and doors centered in room unless shown otherwise

Gas Bottles to be installed 1500mm away from any ignition source as per the Gas Cylinder diagram in the Gas section of the main specification. (Anything electrical is an ignition source)

BUILDING WRAP

7mm Ecoply Barrier OR Tekton OR Tyvek, refer to manufacturers specifications attached

WALL FRAMING Stud Height:2420mm

FLOOR FINISHES

Carpet

Vinyl Plank

WATER HEATING Electric OR Gas

KITCHEN HOB

Gas Hob with Heat resistant splash back

OR Electric Hob

DOORS

1980mm Internal Height: Front Door Type:

STAIRS Treads -Risers -

STONEWOOD HOMES

90

90

90

90

- 5 650

Stonewood Homes 1B, Level 1. 303 Blenheim Rd Upper Riccarton, Christchurch 8041,

Opper Riccarton, Cristofurch 30-New Zealand Phone: +64 3 354 2344 Fax: +64 3 354 2342 Email: info@stonewood.co.nz Website: www.stonewood.co.nz

Client: Lot 10 The Link, Rolleston Proposed Dwelling at: Lot 10 The Link, Rolleston

Drawn By Standard Plan

Signed:

FLOOR PLAN XXXX XXXXX

XXXXXX Print Date | Sales Scale at A 1:100 Avon 157 Gable 22/05/2020 SHC Job Number Version Sheet 200060 Α 2 4

This plan is developed for the purchaser and is copyright to Stonewood Homes NZ Franchisor Limited.


All dimensions and levels are to be checked and verified on site by contractor prior to commencement of any work

OF **CONCEPT**

RISK MATRIX	ASSES	SMENT
ELEVA	TION A	
RISK CRITERIA	RISK	SCOR
Wind Zone	XXX	0
Number of Stories	XXX	0
Roof Wall Junction	XXX	0
Eaves Width	XXX	0
Building Envelope	XXX	0
Decks & Balconies	XXX	0
Total		XX







B **ELEVATION B** 4 / 1:100

RISK MATRIX	ASSES	SMENT
ELEVA	TION B	
RISK CRITERIA	RISK	SCORE
Wind Zone	XXX	0
Number of Stories	XXX	0
Roof Wall Junction	XXX	0
Eaves Width	XXX	0
Building Envelope	XXX	0
Decks & Balconies	XXX	0
Total		XX

Signed: Client: Lot 10 The Link, Rolleston **ELEVATIONS STONEWOOD** Proposed Dwelling at: Lot 10 The Link, Rolleston Drawn By Checked By xxxx xxxxx XXXXXX Standard Plan Print Date Sales Scale at A3 Stonewood Homes 1B, Level 1. 303 Blenheim Rd Upper Riccarton, Christchurch 8041, 22/05/2020 SHC Avon 157 Gable 1:100 Sheet Job Number Version Revision New Zealand
Phone: +64 3 354 2344
Fax: +64 3 354 2342
Email: info@stonewood.co.nz
Website: www.stonewood.co.nz 200060 2 Α 5 This plan is developed for the purchaser and is copyright to Stonewood Homes NZ Franchisor Limited.
All dimensions and levels are to be checked and verified on site by contractor prior to commencement of any work OF **CONCEPT**

GENERAL ELEVATION NOTES Air Barrier to unlined wall and gables, refer to the Construction Schedule in the Specification for type. This sheet to be read in conjunction with the Risk

Driveway to fall from 20mm max below garage rebates (By Others).

LEGEND

2 - 70 Series Brick over 60mm cavity 3 - 70 Series Brick over 60mm cavity 4 - Dimond Fascia and Gutter System

Matrix in specification.

Key SS: Security Stay SG: Safety Glass

1 - 25° Pressed Tile

5 - Aluminum Joinery

7 - Meter Box

9 - Terminal Vent

6 - Colorsteel Downpipe's


8 - Outdoor Heatpump Unit

RISK MATRIX	ASSESS	MENT
ELEVA	TION C	
RISK CRITERIA	RISK	SCORE
Wind Zone	XXX	0
Number of Stories	XXX	0
Roof Wall Junction	XXX	0
Eaves Width	XXX	0
Building Envelope	XXX	0
Decks & Balconies	XXX	0
Total		XX



C ELEVATION C

4 1:100



4 1:100

RISK MATRIX ASSESSMENT ELEVATION D RISK CRITERIA RISK SCORE Wind Zone XXX Number of Stories xxx Roof Wall Junction xxx Eaves Width xxx Building Envelope xxx Decks & Balconies xxx

Signed: Client: Lot 10 The Link, Rolleston **ELEVATIONS STONEWOOD** Proposed Dwelling at: Lot 10 The Link, Rolleston Drawn By Checked By xxxx xxxxx XXXXXX Standard Plan Print Date Sales Scale at A3 Stonewood Homes 1B, Level 1. 303 Blenheim Rd Upper Riccarton, Christchurch 8041, 22/05/2020 SHC Avon 157 Gable 1:100 Sheet Job Number Version Revision New Zealand Phone: +64 3 354 2344 Fax: +64 3 354 2342 Email: info@stonewood.co.nz Website: www.stonewood.co.nz 200060 2 Α 6 This plan is developed for the purchaser and is copyright to OF Stonewood Homes NZ Franchisor Limited. All dimensions and levels are to be checked and verified on site by contractor prior to commencement of any work **CONCEPT**

GENERAL ELEVATION NOTES Air Barrier to unlined wall and gables, refer to the Construction Schedule in the Specification for type. This sheet to be read in conjunction with the Risk

Driveway to fall from 20mm max below garage rebates (By Others).

LEGEND

2 - 70 Series Brick over 60mm cavity 3 - 70 Series Brick over 60mm cavity 4 - Dimond Fascia and Gutter System

Matrix in specification.

Key SS: Security Stay SG: Safety Glass

1 - 25° Pressed Tile

5 - Aluminum Joinery 6 - Colorsteel Downpipe's

8 - Outdoor Heatpump Unit

7 - Meter Box


9 - Terminal Vent

GENERAL ELEVATION NOTES

Refer to the Construction Schedule (Page 2 & 3) in the Specification for further information.

	INSULATION
Wall -	Pink Batts R Wall Batts
Ceiling -	Pink Batts R Ceiling Batts

LEGEND
1-
2 -
3 -
4 -
5 -
6 -
7 -
8 -
9 -
10 -
11 -
12 -
13 -
14 -
15 -



4 /1.50

STONEWOOD

Opper Riccarton, Cristofurch 30-New Zealand Phone: +64 3 354 2344 Fax: +64 3 354 2342 Email: info@stonewood.co.nz Website: www.stonewood.co.nz

Client: Lot 10 The Link, Rolleston Proposed Dwelling at: Lot 10 The Link, Rolleston

CROSS SECTION Drawn By xxxx xxxxx XXXXXX Standard Plan Print Date Sales Scale at A3 Avon 157 Gable 22/05/2020 SHC 1:50 Sheet Job Number Version 7

Signed:

This plan is developed for the purchaser and is copyright to Stonewood Homes NZ Franchisor Limited.
All dimensions and levels are to be checked and verified on site by contractor prior to commencement of any work

2 200060 Α OF **CONCEPT** XX

All concrete to comply with NZS3604:2011 Section 4 Durability Clause 4.5.2

PROTECTION OF FIXINGS

4 /1.50

specific

foundation

detail

TIMBER GRADE


Timber members specified on these drawings are to be a minimum of SG8 strength graded as per NZS3604:2011


specific


foundation


detail


Stonewood Homes 1B, Level 1. 303 Blenheim Rd Upper Riccarton, Christchurch 8041,













			ľ		
Designer:	Date:	Client: BC R	BC Ref: Site Address:	Job#: Default	
Teresa	22 Aug 19	Stonewood Homes	dol		REZER
Dwg:	Rev: Scale:	Customer:			
XXXXXXXX	X	The Avon Walk-In Pantry	ntry		KI CHENS
This is an original design	and must not be release	his is an original design and must not be released or copied unless applicable fee has been paid or job order	placed. All	designations given are subject to verificat	dimensions and size designations given are subject to verification on job site and adjustment to fit job conditions.



Rolleston, Rolleston Christchurch Web: info@smartsystems.net.nz Email:

Drawing Not To Scale




SMART SYSTEMS

Rolleston, Rolleston

Web: smartsystems.net.nz Christchurch info@smartsystems.net.nz Email:

Drawing Not To Scale



Key & Specification

Date 18/03/2020



To

Stonewood Homes WPL - The Avon PO Box 16499 Hornby Christchurch 8441 **Site Address**

Lot 28 Ridgway Ave Farringdon Courts

Job No 2038 Customer ID 105963 Building Co Order Sales Person Michael Gilbert

Class	Job Description	Quantity
lectrical Power:		
EP011001	Electrical Base for 30 way switchboard	1
EP025121	Internal flush mounted meter box Please Note: meter box mounted directly above the ducts for the mains cable on the internal side of the wall. No allowance to move meter box for bracing.	1
P EP100082	Rangehood plug socket (no switch) white	1
♀ EP100110	Smart wiring power sockets for hub white	1
≺ EP141001	Voltex classis single power socket 10A white	2
⋌ EP141021	Voltex classic double power socket horizontal white 10A	23
₩ EP141071	Voltex classic garage door sinlge power socket and press switch 10A white	1
₩ EP141111	Voltex classic single power socket for dishwasher 10A white	1
₩ EP141151	Voltex classic built in oven conenction & isolation switch max 20m from switchboard & up to 20A max	1
₩ EP141161	Voltex classic electric hob connection & isolation switch up to 20m from switchboard & 32A max	1
EP141221	Voltex classic hot water cylinder connection standard tarrif white	1
P210001	Air conditioning outside unit power and isolation switch 16A max single phase	1
S EP220001	Smoke detector mains powered with 9V battery backup	2
EP222501	Capping for sockets and/or switches in joinery	1
₩ EP901521	Voltex classic heated towel rail power connection & installation Please note: no towel rail included in this costing	2
ighting Circuits: EL100101	PDL 600 series white light switch 1 gang IP rated	1
EL110034	Recessed light circuit	31
EL110035	Pendant light circuit	2
EL110151	Extractor fan circuit and installation only Please Note: extractor fan not included in costing	1
wy EL110201	2 way light circuit	2
EL130501	Voltex classic 1-gang light switch white	8
EL130505	Voltex classic 2-gang light switch white	4

EL130515	Voltex classic 4-gang light switch white	1
FL EL180008	Extractor fan/light circuit & install only Please note: fan/light not included	2
AK2 EL202330	Prolux LED downlight DL54 10W 3K 850 lumen white	31
PT0 EL297941	Newtown black 1/L 160mm pendant light with 40W carbon filament lamp	2

Structured Cabling:				
SC001111	Smart wiring base 12 data sockets 20" hub	1		
SC050005	Fibre optic ducted pathway to external demarcation point	1		
SC120151	Voltex classic Cat6 data socket 1Gb/s white	1		
₩ SC240701	Voltex classic TV/data socket cat6 1Gb/s white	2		
₩ SC240801	Voltex classic main TV & data socket cat6 1Gb/s white	1		
<u>Å</u> ″ SC402001	Digital terrestrial aerial suitable for Freeview HD up to 4 TV outlets Please note: Freeview HD reception requires line of sight to the transmitter and signal levels and quality can not be confirmed until a site visit is completed. Any further hardware or upgrade of aerial materials not included in quote.	1		