# **\$535,000** Lot 27 Faringdon Green, Rolleston





For Sale House and Land Package	Dwelling Size	Section Size				
	170m <sup>2</sup>	655m²	4	1	2	2

This home features four bedrooms, master with walk-in robe and ensuite, open plan living, dining and kitchen with walk-in pantry, family bathroom and internal access double garaging. Well appointed for the sun on a generous section with driveway and patio, offering quality fixtures and fittings throughout and finished to a high standard this design is sure to impress.

Just twenty minutes from Christchurch, Rolleston has so much to offer. You are spoilt for choice within New Zealand's fasting growing area. Offering retailers, eateries, parks and reserves along with a newly established primary school and Rolleston college in close proximity. Only for a short drive to central Rolleston with a shopping complex to cater all requirements.

0800 86 00 00




# **Inclusions:**

Quality cladding selections	Metal pressed tile roof	2.42m ceiling height
1.98m internal door height	Windsor door hardware	Designer kitchen
Bosch appliances	Italian tapware	LED light fittings
Norman Ellison carpets	8.0kw heatpump	Driveway and patio
Boundary fencing	After care service	10 year Master Build guarantee

# **Floor Plan:**

# Location:



**Disclaimer:** This material is for the use of illustrative and guidance purposes. All efforts have been made by Stonewood Homes Christchurch to ensure the information correctly illustrates the dwelling however Stonewood Homes accept no responsibility for any variances which maybe become apparent once the build commences.

0800 86 00 00

# **Specification**

# Lot 27 Faringdon Green, Rolleston

# STONEWOOD HOMES

GENERAL	
Guarantee:	10 year Master Build guarantee
Warranty:	365 day warranty period
Insurance:	Builders risk insurance
STRUCTURE	
Foundation/floor slab:	TC1 Ribraft
Framing:	2.42m NZ5S 3602:2003 with building wrap – 90mm kiln dried pine
Trusses:	Kiln dried pine
Cladding (main):	Brick – Austral 70 series – Origin series
Cladding (feature):	Vertical shiplap cedar HP51
ROOFING	
Roof:	25° Gerard metal pressed tile
Downpipes:	Colorsteel rectangular 75x55mm
Fascia and gutter:	Dimond metal fascia and quad gutter
WINDOWS AND DOORS	
Entry door:	APL 860mm Latitude with urbo lever
Windows:	Vantage aluminium joinery with urbo hardware
Garage door:	Coloursteel flat panel woodgrain 4.5m
Internal doors:	1980mm Everest (vertical V groove polycore)
Wardrobe doors:	MDF flush panel sliders
INTERIOR LINING	
Insulation:	R2.4 wall batts, R4.0 ceiling batts excluding garage
Sound insulation:	As per plan
Plasterboard:	GIB board - 10mm to walls, aqualine to bathrooms and 13mm to ceilings
Gib stopping:	Grade 4 paint finish in accordance with AS/NZ 2311:2009
Gib external corners:	Gib square stop
Painting:	Resene Zylone
Soffit linings:	Hardiflex 4.5mm
INTERIOR JOINERY	
Internal door hardware:	Windsor Futura – Apex brushed nickel
Skirting:	60mm bevel
Wardrobe shelving:	MDF shelf and rail
Cupboard shelving:	MDF shelves x4

0800 86 00 00

# **Specification**

# Lot 27 Faringdon Green, Rolleston



### **KITCHEN AND LAUNDRY**

Kitchen and bench surface:	Kitchen cabinetry and sink with TriStone 12mm on negative detail
Tapware:	Paffoni Blu BLU180 high spout
Oven:	Bosch HBF133BSOA – stainless steel oven
Hob:	Bosch PKE611CA1A – stainless steel cooktop
Dishwasher:	Bosch SMU50E75AU – stainless steel dishwasher
Rangehood:	Bosch DWP96BC50A 600m3 – stainless steel canopy
Laundry tub:	Aquatica Estasi 560x560 LE6200
FLOORING	
Carpet:	Norman Ellison
Vinyl planking:	Karndean Knightplank
ELECTRICAL	
Plugs / Light Fittings:	As per plan
Heatpump:	Fujitsu 8.0kw ASTG24LFCC
BATHROOMS AND PLUMBING	
Vanities:	Raymor Brighton 750mm
Mirrors:	1000 x 750 x 4mm polished edge
Toilets:	Englefield Evora with standard seat
Showers:	Arena curved with moulded wall
Bath:	Newtech Indus back-to-wall freestanding bath
Tapware:	Paffoni Blu BLU071
Shower slides:	Paffoni Brio ZSAL194CR
Towel rails:	Newtech 5 ladder square heated towel rail
Extractors:	Weiss Clearflow FV160
Hot water cylinder:	Rheem 250L
Exterior taps:	2
LANDSCAPING	
Driveway and patio:	Exposed aggregate
Vehicle crossing:	Included
Soft landscaping:	Excluded
Fencing:	1.8m timber paling to side boundaries.
Letterbox and clothesline:	Excluded
L	

0800 86 00 00

# **Pictorial**

# Lot 27 Faringdon Green, Rolleston

# STONEWOOD HOMES

Roof profile Front door Window hardware Garage door profile Internal doors Internal door hardware Oven Ceramic cooktop Rangehood Dishwasher Laundry tub Kitchen tapware - 611 Vanity Showers Bath **Basin mixers** Shower slides Shower / bath mixers Toilet Towel rail

0800 86 00 00

# **Colour Scheme**


# Lot 27 Faringdon Green, Rolleston



### EXTERIOR

EXTERIOR		INTERIOR	
Roof:	Obsidian	Ceilings:	Resene half black white
Fascia / Gutter / Downpipes:	Ebony	Walls:	Resene black white
Window joinery:	Ebony	Interior doors:	Resene black white
Front door:	Ebony	Skirting:	Resene black white
Front door frame:	Ebony	Carpet:	Dalton - Woodland
Garage door:	Ebony	Vinyl plank:	Pale limed oak
Garage door frame:	Ebony	Kitchen cabinetry:	Melteca - Snow drift
Soffits:	Resene half black white	Kitchen benchtop:	TriStone 12mm – Pure white on black pearl negative detail
Exterior cladding (main):	Crevole with white mortar	Tiles (kitchen splashback):	White tile (100x300mm) with mid- night grout
Exterior cladding (feature):	Wood-x Mainsail	Aluminium wardrobe surrounds:	White

### **Exterior**:




## **Interior:**




### **Kitchen:**



0800 86 00 00







LEGEND		
LEGEND. Sewer Pipe ———	developed length: (approx) xxm	
S/W Pipe	developed length: (approx) xxm	
Down Pipe	DP	
Gully Trap	GT	
Terminal Vent	TV	

### SITE PLAN NOTES

Refer to Drainage Plan for specific drainage information

Refer to sediment control plan in specification and implement where required.

Driveway – By Stonewood Homes as shown OR Driveway and Sump not part of this building consent

Convey surface water from sealed drive areas to an appropriate approved outfall.

Dimensions are shown to cladding face

Resource Consent Issues: 1/ No RC Issues known

SITE INFORMATION		
Zone	XX	
Wind	XX	
Earthquake	1/2/3/4	
Durability	B/C/D	
Snow	N x at xxm (up to x kPa)	


BUILDING AREA AND SITE COVERAGE			
Net Site Area =	655m²		
Building Area (O/V) = (Includes covered areas)	172.02 m²		
Max Site Coverage Allowed:	00%		
Actual Site Coverage=	26.26%		

	IWORKS	
Proposed F.G.L = Proposed F.F.L =	xxm	
Proposed F.F.L =	xxm	
FMA level:	xxm	

SITE ASSESSMENT & SOIL REPORT	
-------------------------------	--

Site assessement data supplie	ed from:
TBC (registered surveyor)	
Phone:	TBC
Date completed:	XX-XX-XXX
Levels are relative to:	TBC
This dwelling has been design	ed according
to the recommendations from:	
Soil Report by:	XXXXXX
Date:	XX-XX-XXXX

		-			
	Signed:	Date:			
on Green, Rolleston	SITE PLAN				
lling at: on Green, Rolleston	Drawn By	Checked By		LBP #	
	Kamlesh	XXXX XXXXX		XXXXXX	
	Standard Plan	Print Date	Sales	Scale at A3	
	Cloudy Bay 150 Gable	1/07/2020	SHC	1:200	
	Job Number	Version	Revision	Sheet	
	200023	Α	3	3	
ne purchaser and is copyright to	Version:			OF	
chisor Limited. re to be checked and verified on site by cement of any work	e by CONCEPT			XX	



Client : **STONEWOOD** Lot 27 Faringdo номез Proposed Dwel Lot 27 Faringdo Stonewood Homes 1B, Level 1. 303 Blenheim Rd Upper Riccarton, Christchurch 8041, New Zealand Phone: +64 3 354 2344 Fax: +64 3 354 2342 Email: info@stonewood.co.nz Website: www.stonewood.co.nz

This plan is developed for th Stonewood Homes NZ Fran All dimensions and levels an contractor prior to commence

15/ 06 Key To Elevations

Roof -Walls -Feature - Vertical Cedar

106

1 620

90

300

N

6

8 040

1 210

840 90

106

750

m

BUILDING AREA AREA: 163.37 m<sup>2</sup> O/F (Pe 
 AREA: 170.77
 m² O/V (Per

 AREA: 172.02
 m²
 (incl

 AREA: 199.05
 m² Roof(Per

#### **ROOF & WALL CLADDING**

25° Metal Pressed Tile Profile 70 Series Brick Veneer

erimeter: 56.40m)	
erimeter: 57.44m)	
cl Covered Area 1.25 m <sup>2</sup> )	
erimeter: 60.90m)	

### **GENERAL FLOOR PLAN NOTES**



SMOKE ALARMS (hush type) Smoke Alarms to be fitted within 3.0m of sleeping areas and on Escape routes, as indicated on plan. Refer to Construction Schedule (Page 2 & 3) in the Specification for more information

### MISCELLANEOUS:

Dimensions shown are to the frame, GIB thickness not shown.

Refer to Construction Schedule (Page 2 & 3 of Specification) for additional construction information Entry through external doors

Mechanical ventilation

Air Seals to have PEF rod & low expansion foam All windows and doors centered in room unless shown otherwise

#### GAS

Gas Bottles to be installed 1500mm away from any ignition source as per the Gas Cylinder diagram in the Gas section of the main specification. (Anything electrical is an ignition source)

BUILDING WRAP 7mm Ecoply Barrier OR Tekton OR Tyvek, refer to manufacturers specifications attached

WALL FRAMING Stud Height: 2420 mm

FLOOR FINISHES Carpet Vinyl Plank

WATER HEATING Electric OR Gas

KITCHEN HOB Gas Hob with Heat resistant splash back **OR Electric Hob** 

DOORS 1980mm Internal Height: TBC Type: Front Door Type: XXX

	Signed:	Date:		
on Green, Rolleston	FLOOF	R PLAN	I	
ling at:	Drawn By	Checked By		LBP #
on Croon Bolloston	Kamlesh	XXXX XXX	xx	XXXXXX
on Green, Rolleston	Standard Plan	Print Date	Sales	Scale at A3
	Cloudy Bay 150 Gable	1/07/2020	SHC	1:100
	Job Number	Version	Revision	Sheet
	200023	Α	3	4
e purchaser and is copyright to	Version:			OF
chisor Limited. e to be checked and verified on site by ement of any work	CONCE	PT		XX

RISK MATRIX ASSESSMENT					
ELEVATION A					
RISK CRITERIA	RISK	SCORE			
Wind Zone	XXX	0			
Number of Stories	XXX	0			
Roof Wall Junction	XXX	0			
Eaves Width	XXX	0			
Building Envelope	XXX	0			
Decks & Balconies	XXX	0			
Total		XX			



A ELEVATION A 4 1:100







RISK MATRIX ASSESSMENT			
ELEVA	TION B		
RISK CRITERIA	RISK	SCORE	
Wind Zone	XXX	0	
Number of Stories	XXX	0	
Roof Wall Junction	XXX	0	
Eaves Width	XXX	0	
Building Envelope	XXX	0	
Decks & Balconies	XXX	0	
Total		XX	

### GENERAL ELEVATION NOTES

Air Barrier to unlined wall and gables, refer to the Construction Schedule in the Specification for type.

This sheet to be read in conjunction with the Risk Matrix in specification.

Driveway to fall from 20mm max below garage rebates (By Others).


Key SS: Security Stay SG: Safety Glass

#### LEGEND


- 1 Metal Pressed Tile Profile over roof underlay
- 2 70 Series Brick over 60mm cavity
- 3 Vertical Cedar
- 4 Dimond Fascia and Gutter System
- 5 Aluminum Joinery
- 6 Colorsteel Downpipe's
- 7 Meter Box
- 8 Outdoor Heatpump Unit
- 9 Terminal Vent

	Signed:	Date:		
on Green, Rolleston	ELEVA		;	
ling at:	Drawn By	Checked By		LBP #
on Green, Rolleston	Kamlesh	XXXX XXX	xx	XXXXXX
on Green, Rolleston	Standard Plan	Print Date	Sales	Scale at A3
	Cloudy Bay 150 Gable	1/07/2020	SHC	1:100
	Job Number	Version	Revision	Sheet
	200023	Α	3	5
e purchaser and is copyright to chisor Limited.	Version:			OF
e to be checked and verified on site by ement of any work	CONCE	PT		XX

RISK MATRIX ASSESSMENT					
ELEVA	TION C				
RISK CRITERIA	RISK	SCORE			
Wind Zone	XXX	0			
Number of Stories	XXX	0			
Roof Wall Junction	XXX	0			
Eaves Width	XXX	0			
Building Envelope	XXX	0			
Decks & Balconies	XXX	0			
Total		XX			







	ELEVATION D
4	1:100



RISK MATRIX	ASSES	SMENT
ELEVA	TION D	
RISK CRITERIA	RISK	SCORE
Wind Zone	XXX	0
Number of Stories	XXX	0
Roof Wall Junction	XXX	0
Eaves Width	XXX	0
Building Envelope	XXX	0
Decks & Balconies	XXX	0
Total		XX

### GENERAL ELEVATION NOTES

Air Barrier to unlined wall and gables, refer to the Construction Schedule in the Specification for type.

This sheet to be read in conjunction with the Risk Matrix in specification.


Driveway to fall from 20mm max below garage rebates (By Others).


Key SS: Security Stay SG: Safety Glass

#### LEGEND

- Metal Pressed Tile Profile over roof underlay
- 2 70 Series Brick over 60mm cavity
- 3 Vertical Cedar
- 4 Dimond Fascia and Gutter System
- 5 Aluminum Joinery
- 6 Colorsteel Downpipe's
- 7 Meter Box
- 8 Outdoor Heatpump Unit
- 9 Terminal Vent

	Signed:	Date:		
on Green, Rolleston	ELEVA	TIONS	6	
ling at:	Drawn By	Checked By		LBP #
•	Kamlesh	XXXX XXX	хх	XXXXXX
on Green, Rolleston	Standard Plan	Print Date	Sales	Scale at A3
	Cloudy Bay 150 Gable	1/07/2020	SHC	1:100
	Job Number	Version	Revision	Sheet
	200023	Α	3	6
	Version:			OF
chisor Limited. e to be checked and verified on site by ement of any work	CONCE	PT		XX





STONE WOOD H O M E S	Client : Lot 27 Faringdo Proposed Dwelli
Stonewood Homes 1B, Level 1. 303 Blenheim Rd Upper Riccarton, Christchurch 8041, New Zealand	Lot 27 Faringdo
Phone: +64 3 354 2344 Fax: +64 3 354 2342 Email: info@stonewood.co.nz Website: www.stonewood.co.nz	This plan is developed for the Stonewood Homes NZ Franch All dimensions and levels are contractor prior to commenced

ST

ö

PROTECTION OF FIXINGS
Fixings shall comply with NZS 3604:2011 Section 4 Durability Tables 4.1-4.3
CONCRETE STRENGTH
All concrete to comply with NZS3604:2011 Section
4 Durability Clause 4.5.2
TIMBER GRADE
Timber members specified on these drawings are
to be a minimum of SG8 strength graded as per
NZS3604:2011


### GENERAL ELEVATION NOTES

Refer to the Construction Schedule (Page 2 & 3) in the Specification for further information.


	INSULATION
Wall -	Pink Batts R Wall Batts
Ceiling -	Pink Batts R Ceiling Batts

	LEGEND
1 -	
2 -	
3 -	
4 -	
5 -	
6 -	
7 -	
8 -	
9 -	
10 -	
11 -	
12 -	
13 -	
14 -	
15 -	

	Signed:	Date:		
on Green, Rolleston	CROSS SECTION			
ling at:	Drawn By	Checked By		LBP #
	Kamlesh	XXXX XXX	хх	XXXXXX
on Green, Rolleston	Standard Plan	Print Date	Sales	Scale at A3
	Cloudy Bay 150 Gable	1/07/2020	SHC	1:50
	Job Number	Version	Revision	Sheet
	200023	Α	3	7
e purchaser and is copyright to	Version:			OF
chisor Limited. e to be checked and verified on site by ement of any work	CONCE	PT		XX




This is an original design and must not be released or copied unless applicable fee has been paid or job order placed. All dimensions and size designations given are subject to verification on job site and adjustment to fit job conditions.





This is an original design and must not be released or copied unless applicable fee has been paid or job order placed. All dimensions and size designations given are subject to verification on job site and adjustment to fit job conditions. **TRENDS** KITCHENS Job#: 45151 Site Address: BC Ref: Customer: Stonewood Homes Date: Client: Client: 20 Client: Clien 1:20 Scale: <sup>Designer:</sup> Sarah Molyneux Dwg: Kitchen Elevation

This is an original design and must not be released or copied unless applicable fee has been paid or job order placed. All dimensions and size designations given are subject to verification on job site and adjustment to fit job conditions.












This is an original design and must not be released or copied unless applicable fee has been paid or job order placed. All dimensions and size designations given are subject to verification on job site and adjustment to fit job conditions. <sup>Dwg:</sup> Kitchen 3D Perspective

This is an original design and must not be released or copied unless applicable fee has been paid or job order placed. All dimensions and size designations given are subject to verification on job site and adjustment to fit job conditions.

TRENDS	KITCHENS	
Job#: 45151		
Site Address:		
Client: BC Ref: BC Ref: 100007	Customer: Stonewood Homes	
Date: 17 Feb 20	Scale: 1:20	
<sup>Designer:</sup> Sarah Molyneux	<sub>Dwg:</sub> Pantry Plan	









Designer:	Date:	Client:	BC Ref: Site	Site Address:	Job#: 45151	
Sarah Molyneux	17 Feb 20	Stonewood Homes	200007			TRENDS
Dwg:	Scale:	Customer:				N I T C I F N C
Pantry Elevation	1:20	Stonewood Homes				NIICHENS
This is an original design and must not be released or copied unless applicable fee has been paid or job order	ust not be releas	sed or copied unless applicable	le fee has be	en paid or job order placed. All dimensions and size o	designations given are subject to verificati	on on job site and adjustment to fit job conditions.






Job#: 45151 Site Address: Date: Clent: BC Ref: 200007 200007 Scale: <sup>Designer:</sup> Sarah Molyneux








					Signature:
. –		Ch	nristchurch	Phone:	03 338 4238
SMART	Lighting Circuite	PC	D Box 9302	Fax:	03 338 4239
SYSTEMS	Lighting Circuits	То	ower Junction	Web:	smartsystems.ne
Electricians for smart, sustainable homes		Ch	nristchurch	Email:	info@smartsyste

Date:

.net.nz stems.net.nz

Drawing Not To Scale

Designed by: Michael Gilbert



# **Key & Specification**

Date 18/02/2020

То



### Site Address

Job No 2026 Customer ID 106335 Building Co Order

### Sales Person Michael Gilbert

Class	Job Description	Quantity
<b>Electrical Power:</b>		
EP011001	Electrical Base for 30 way switchboard	1
₩ EP025121	Internal flush mounted meter box Please Note: meter box mounted direclty above the ducts for the mains cable on the internal side of the wall. No allowance to move meter box for bracing.	1
P100082	Rangehood plug socket (no switch) white	1
မှု EP100110	Smart wiring power sockets for hub white	1
🖌 EP141001	Voltex classis single power socket 10A white	2
¥ EP141021	Voltex classic double power socket horizontal white 10A	23
🖞 EP141071	Voltex classic garage door sinlge power socket and press switch 10A white	1
₩ EP141111	Voltex classic single power socket for dishwasher 10A white	1
♀ EP141151	Voltex classic built in oven conenction & isolation switch max 20m from switchboard & up to 20A max	1
₩ EP141161	Voltex classic electric hob connection & isolation switch up to 20m from switchboard & 32A max	1
₩ EP141221	Voltex classic hot water cylinder connection standard tarrif white	1
♀ EP210001	Air conditioning outside unit power and isolation switch 16A max single phase	1
S EP220001	Smoke detector mains powered with 9V battery backup	2
₩ EP901521	Voltex classic heated towel rail power connection & installation Please note: no towel rail included in this costing	2

### Lighting Circuits:

S EL006001	External 180 degree movement sensor	1
🚫 EL110034	Recessed light circuit	30
• EL110035	Pendant light circuit	2
E EL110151	Extractor fan circuit and installation only Please Note: extractor fan not included in costing	1
2WY EL110201	2 way light circuit	3
🔈 EL130501	Voltex classic 1-gang light switch white	12
🔈 EL130505	Voltex classic 2-gang light switch white	3
🔈 EL130510	Voltex classic 3-gang light switch white	3
FL EL180008	Extractor fan/light circuit & install only Please note: fan/light not included	2

AK2 EL202330	Prolux LED downlight DL54 10W 3K 850 lumen white	30
PT0 EL297941	Newtown black 1/L 160mm pendant light with 40W carbon filament lamp	2

### Structured Cabling:

SC001111	Smart wiring base 12 data sockets 20" hub	1
SC050005	Fibre optic ducted pathway to external demarcation point	1
Ӌ SC120151	Voltex classic Cat6 data socket 1Gb/s white	1
<b>넥</b> SC240701	Voltex classic TV/data socket cat6 1Gb/s white	1
<b>Lel</b> SC240801	Voltex classic main TV & data socket cat6 1Gb/s white	1
<b>Å</b> ‴ SC401001	Digital terrestrial aerial suitable for Freeview HD up to 3 TV outlets Please note: Freeview HD reception requires line of sight to the transmitter and signal levels and quality can not be confirmed until a site visit is completed. Any further hardware or upgrade of aerial materials not included in quote.	1