\$499,000

Lot 6 The Link, Rolleston



For Sale

House and Land Package

Dwelling Size	Section Size				
147m²	447m²	3	1	2	2

With the beautiful Foster Park over the road, this home features three bedrooms, master with walk-in wardrobe and ensuite, open plan kitchen living and dining, family bathroom and internal access double garaging. Well appointed for the sun on an easy care landscaped section, offering quality fixtures and fittings throughout and finished to a high standard this design is sure to impress.


Just twenty minutes from Christchurch, Rolleston has so much to offer. You are spoilt for choice within New Zealand's fasting growing area. Offering retailers, eateries, parks and reserves along with a newly established primary school and Rolleston college in close proximity. Only for a short drive to central Rolleston with a shopping complex to cater all requirements.

Lot 6 The Link, Rolleston

Inclusions:

Quality cladding selections	Metal pressed tile roof	2.42m ceiling height
1.98m internal door height	Windsor door hardware	Designer kitchen
Bosch appliances	Italian tapware	LED light fittings
Norman Ellison carpets	8.0kw heatpump	Fully landscaped
Window coverings	After care service	10 year Master Build guarantee

Floor Plan:







Disclaimer: This material is for the use of illustrative and guidance purposes. All efforts have been made by Stonewood Homes Christchurch to ensure the information correctly illustrates the dwelling however Stonewood Homes accept no responsibility for any variances which maybe become apparent once the build commences.

Specification

Lot 6 The Link, Rolleston

GENERAL

Guarantee: 10 year Master Build guarantee

Warranty: 365 day warranty period

Insurance: Builders risk insurance

STRUCTURE

Foundation/floor slab: TC1 Ribraft

Framing: 2.42m NZ5S 3602:2003 with building wrap – 90mm kiln dried pine

Trusses: Kiln dried pine

Cladding (main): Brick – Midland Brick 70 series – Modus range

Cladding (feature): James Hardie smoothboard

ROOFING

Roof: 25° Gerard metal pressed tile

Downpipes: Colorsteel rectangular 75x55mm

Fascia and gutter: Dimond metal fascia and quad gutter

WINDOWS AND DOORS

Entry door: APL 860mm Latitude with urbo lever

Windows: Vantage aluminium joinery with urbo hardware

Garage door: Coloursteel flat panel woodgrain 4.5m

Internal doors: 1980mm Everest (vertical V groove polycore)

Wardrobe doors: MDF flush panel sliders

Window coverings: Roller blinds excluding garage and bathrooms

INTERIOR LINING

Insulation: R2.4 wall batts, R4.0 ceiling batts excluding garage

Plasterboard: GIB board - 10mm to walls, aqualine to bathrooms and 13mm to ceilings

Gib stopping: Grade 4 paint finish in accordance with AS/NZ 2311:2009

Gib external corners: Gib square stop
Painting: Resene Zylone
Soffit linings: Hardiflex 4.5mm

INTERIOR JOINERY

Internal door hardware: Windsor Futura – Apex brushed nickel

Skirting: 60mm bevel

Wardrobe shelving: MDF shelf and rail
Cupboard shelving: MDF shelves x4

Specification

Lot 6 The Link, Rolleston

KITCHEN AND LAUNDRY

Kitchen and bench surface: Kitchen cabinetry and sink with TriStone 12mm on negative detail

Tapware: Paffoni Blu BLU180 high spout

Oven: Bosch HBF133BSOA – stainless steel oven

Hob: Bosch PKE611CA1A – stainless steel cooktop

Dishwasher: Bosch SMU50E75AU – stainless steel dishwasher

Rangehood: Bosch DWP96BC50A 600m3 – stainless steel canopy

Laundry tub: Aquatica Estasi 560x560 LE6200

FLOORING

Carpet: Norman Ellison

Vinyl planking: Karndean Knightplank

ELECTRICAL

Plugs / Light Fittings: As per plan

Heatpump: Fujitsu 8.0kw ASTG24LFCC

BATHROOMS AND PLUMBING

Vanities: Raymor Brighton 750mm

Mirrors: 1000 x 750 x 4mm polished edge

Toilets: Englefield Evora with standard seat

Showers: Arena curved with moulded wall

Bath: Newtech Indus back-to-wall freestanding bath

Tapware: Paffoni Blu BLU071

Shower slides: Paffoni Brio ZSAL194CR

Towel rails: Newtech 5 ladder square heated towel rail

Extractors: Weiss Clearflow FV160

Hot water cylinder: Rheem 250L

Exterior taps: 2

LANDSCAPING

Driveway and patio: Exposed aggregate

Vehicle crossing: Included

Soft landscaping: Hydroseed

Fencing: 1.8m timber paling to rear and right side boundary. Internal fencing to de-

velopers requirements including gate. Road boundary fencing as per devel-

opers requirements.

Letterbox and clothesline: Urban box on post / Sun King folding frame

Pictorial

Lot 6 The Link, Rolleston

Roof profile Front door Window hardware Garage door profile Internal doors Internal door hardware Ceramic cooktop Oven Rangehood Dishwasher Laundry tub Kitchen tapware Showers Vanity Bath Basin mixers Shower slides Shower / bath mixers Toilet Towel rail

Colour Scheme

Lot 6 The Link, Rolleston

EXTERIOR

Roof: Grey smoke
Fascia / Gutter / Downpipes: Grey friars
Window joinery: Grey friars
Front door: Grey friars
Front door frame: Grey friars
Garage door: Grey friars

Garage door frame: Grey friars

Soffits: Resene half black white

Exterior cladding (main): Nieve with white mortar

Exterior cladding (feature): Resene half stack

INTERIOR

Ceilings: Resene half black white

Walls: Resene black white

Interior doors: Resene black white

Skirting: Resene black white

Carpet: Dalton - Woodland

Vinyl plank: Pale limed oak

Kitchen cabinetry: Melteca - Snow drift

Kitchen benchtop: TriStone 12mm – Pure white on black

pearl negative detail

Tiles (kitchen splashback): White tile (100x300mm) with mid-


night grout

Aluminium wardrobe

surrounds:

White


Exterior:





Interior:



Kitchen:







LEGEND			
LEGEND. Sewer Pipe		developed length: (approx) xxm	
S/W Pipe		developed length: (approx) xxm	
Down Pipe		DP	
Gully Trap		GT	
Terminal Vent		TV	

SITE PLAN NOTES

Refer to Drainage Plan for specific drainage information

Refer to sediment control plan in specification and implement where required.

Driveway – By Stonewood Homes as shown OR Driveway and Sump not part of this building consent

Convey surface water from sealed drive areas to an appropriate approved outfall.

Dimensions are shown to cladding face

Resource Consent Issues: 1/ No RC Issues known

SIT	SITE INFORMATION		
Zone	XX		
Wind	High		
Earthquake	1/2/3/4		
Durability	B/C/D		
Snow	N x at xxm (up to x kPa)		

	TE COVERAGE	
	Net Site Area =	447m²
	Building Area (O/V) = (Includes covered areas)	149.3 m²
	Max Site Coverage Allowed:	00%
	Actual Site Coverage=	34.32%

EARTHWORKS		
Proposed F.G.L =	xxm	
Proposed F.F.L =	xxm	
FMA level:	xxm	

SITE ASSESSMENT & SOIL REPORT						
	Site assessement data supplied from:					
TBC (registered surveyor)						
Phone:	TBC					
Date completed:	XX-XX-XXX					
Date completed: Levels are relative to:	TBC					

Date completed: Levels are relative to:

This dwelling has been designed according to the recommendations from:

Soil Report by:

Date:

xxx

xxx XXXXXX XX-XX-XXXX

		Signed.	Date.		
STONEWOOD	Client :Lot 6 The link, Rolleston Proposed Dwelling at:	SITE PLAN			
HOMES	Lot 6 The link, Rolleston	Drawn By	Checked By	/	LBP#
		Isha	XXXX XXX	XX	XXXXXX
		Standard Plan	Print Date	Sales	Scale at A3
Stonewood Homes		Stillwater 174 Gable	5/22/2020	SHC	1:200
1B, Level 1. 303 Blenheim Rd Upper Riccarton, Christchurch 8041,		Job Number	Version	Revision	Sheet
New Zealand Phone: +64 3 354 2344		200056	Α	3	3
Fax: +64 3 354 2342	This plan is developed for the purchaser and is copyright to	Version:			OF
Email: info@stonewood.co.nz Website: www.stonewood.co.nz	Stonewood Homes NZ Franchisor Limited. All dimensions and levels are to be checked and verified on site by contractor prior to commencement of any work	CONCE	PT		XX

ROOF & WALL CLADDING

25° Metal Pressed Tile, 70 Series Brick Veneer Feature - JH Smoothboard

AREA: 140.01m2 O/F (Perimeter: 59.86m) AREA:146.95 m² O/V (Perimeter: 60.76m)

AREA: 149.75m² (incl Covered Area 2.8m²)

BUILDING AREA

MISCELLANEOUS: Dimensions shown are to the frame,

GIB thickness not shown. Refer to Construction Schedule (Page 2 & 3 of Specification) for additional construction information Entry through external doors

for more information.

GENERAL FLOOR PLAN NOTES

Smoke Alarms to be fitted within 3.0m of

sleeping areas and on Escape routes, as indicated on plan. Refer to Construction Schedule (Page 2 & 3) in the Specification

Mechanical ventilation

SMOKE ALARMS (hush type)

Air Seals to have PEF rod & low expansion foam All windows and doors centered in room unless shown otherwise

Gas Bottles to be installed 1500mm away from any ignition source as per the Gas Cylinder diagram in the Gas section of the main specification. (Anything electrical is an ignition source)

BUILDING WRAP

7mm Ecoply Barrier OR Tekton OR Tyvek, refer to manufacturers specifications attached

WALL FRAMING

Stud Height:

FLOOR FINISHES Carpet Vinyl Plank

WATER HEATING

KITCHEN HOB Electric Hob

DOORS

Internal Height: 2200mm

XXXX XXXXX

Version

Α

Print Date Sales

5/22/2020 SHC

3

XXXXXX


Scale at A 1:100

Sheet

4

OF

Front Door Type:860mm with side light




Signed: Client :Lot 6 The link, Rolleston **LOWER FLOOR PLAN STONEWOOD** Proposed Dwelling at: HOMES Lot 6 The link, Rolleston Drawn By Standard Plan Stonewood Homes Stillwater 174 Gable 1B, Level 1. 303 Blenheim Rd Upper Riccarton, Christchurch 8041, Job Number New Zealand
Phone: +64 3 354 2344
Fax: +64 3 354 2342
Email: info@stonewood.co.nz
Website: www.stonewood.co.nz 200056 This plan is developed for the purchaser and is copyright to Stonewood Homes NZ Franchisor Limited.
All dimensions and levels are to be checked and verified on site by contractor prior to commencement of any work **CONCEPT**

RISK MATRIX ASSESSMENT						
ELEVATION A						
RISK CRITERIA RISK SCORE						
Wind Zone	XXX	0				
Number of Stories	XXX	0				
Roof Wall Junction	XXX	0				
Eaves Width	XXX	0				
Building Envelope	XXX	0				
Decks & Balconies	XXX	0				
Total		XX				



A ELEVATION A 4 / 1:100



B ELEVATION B 1:100

RISK MATRIX ASSESSMENT						
ELEVATION B						
RISK CRITERIA RISK SCORE						
Wind Zone	XXX	0				
Number of Stories	XXX	0				
Roof Wall Junction	XXX	0				
Eaves Width	XXX	0				
Building Envelope	XXX	0				
Decks & Balconies	XXX	0				
Total		XX				

Air Barrier to unlined wall and gables, refer to the Construction Schedule in the Specification for type.

This sheet to be read in conjunction with the Risk Matrix in specification.

Driveway to fall from 20mm max below garage rebates (By Others).


Key SS: Security Stay SG: Safety Glass

LEGEND

- 1 25º Metal Pressed Tile
- 2 70 Series Brick Veneer
- 3 Smoothboard
- 4 Dimond Fascia and Gutter System
- 5 Aluminum Joinery
- 6 Colorsteel Downpipe's
- 7 Meter Box
- 8 Outdoor Heatpump Unit
- 9 Gas bottles

		Signed:	Date:		
STONEWOOD	Client :Lot 6 The link, Rolleston Proposed Dwelling at:	ELEVATIONS			
HOMES	Lot 6 The link, Rolleston	Drawn By	Checked By	/	LBP#
		Isha	XXXX XXX	XX	XXXXXX
		Standard Plan	Print Date	Sales	Scale at A3
Stonewood Homes		Stillwater 174 Gable	5/22/2020	SHC	1:100
1B, Level 1. 303 Blenheim Rd Upper Riccarton, Christchurch 8041,		Job Number	Version	Revision	Sheet
New Zealand Phone: +64 3 354 2344		200056	Α	3	5
Fax: +64 3 354 2342 Email: info@stonewood.co.nz Website: www.stonewood.co.nz	This plan is developed for the purchaser and is copyright to Stonewood Homes NZ Franchisor Limited. All dimensions and levels are to be checked and verified on site by contractor prior to commencement of any work	Version: CONCE	PT		XX

RISK MATRIX	ASSESSI	MENT
ELEVA	TION C	
RISK CRITERIA	RISK	SCORE
Wind Zone	xxx	0
Number of Stories	XXX	0
Roof Wall Junction	XXX	0
Eaves Width	XXX	0
Building Envelope	XXX	0
Decks & Balconies	XXX	0
Total		XX



C ELEVATION C 4 /1:100



D ELEVATION D 4 /1:100

RISK MATRIX	ASSES	SMENT
ELEVA	TION D	
RISK CRITERIA	RISK	SCORE
Wind Zone	XXX	0
Number of Stories	XXX	0
Roof Wall Junction	XXX	0
Eaves Width	XXX	0
Building Envelope	XXX	0
Decks & Balconies	XXX	0
Total		XX

ATION D	
RISK	SCORE
XXX	0
	XX
	XXX XXX XXX XXX XXX

Air Barrier to unlined wall and gables, refer to the Construction Schedule in the Specification for type.


This sheet to be read in conjunction with the Risk Matrix in specification.

Driveway to fall from 20mm max below garage rebates (By Others).

Key SS: Security Stay SG: Safety Glass

LEGEND

- 1 25º Metal Pressed Tile
- 2 70 Series Brick Veneer
- 3 Smoothboard
- 4 Dimond Fascia and Gutter System
- 5 Aluminum Joinery
- 6 Colorsteel Downpipe's
- 7 Meter Box
- 8 Outdoor Heatpump Unit
- 9 Gas bottles



Fixings shall comply with NZS 3604:2011 Section 4 Durability Tables 4.1-4.3

CONCRETE STRENGTH

All concrete to comply with NZS3604:2011 Section 4 Durability Clause 4.5.2

TIMBER GRADE


Timber members specified on these drawings are to be a minimum of SG8 strength graded as per NZS3604:2011


GENERAL ELEVATION NOTES

Refer to the Construction Schedule (Page 2 & 3) in the Specification for further information.


	INSULATION
Wall -	Pink Batts R Wall Batts
Ceiling -	Pink Batts R Ceiling Batts

LEGEND
1-
1 -
2 -
3 -
4 -
5 -
6 -
7 -
8 -
9 -
10 -
11 -
12 -
13 -
14 -
15 -







Jesigner: Sarah Molyneux	Date: 25 May 20	r: Client: BC Ref Stonewood Homes BC Ref Stonewood Homes	BC Ref: Site Address:	Job#:	TRENDS
Kitchen Plan	Scale: 1:25	Customer: Modified Stillwater			KITCHENS




	RENDS		KIICHENS	ation on job site and adjustment to fit job conditions.
ite Address: Job#:				een paid or job order placed. All dimensions and size designations given are subject to verific
BC Ref: Sit				e fee has be
Client:	Stonewood Homes	Customer:	Modified Stillwater	d or copied unless applicably
Date:	25 May 20	Scale:	1:20	must not be release
Designer:	Sarah Molyneux	Dwg:	Kitchen Elevation	This is an original design and must not be released or copied unless applicable fee has been paid or job orde




Designer:	Date:	Client:	3C Ref:	Site Address: Job#:	200
Sarah Molyneux	25 May 20	Stonewood Homes			SCZ
Dwg:	Scale:	Customer:			
Kitchen Elevation	1:20	Modified Stillwater			KIICHENS
This is an original design and ı	must not be releas	l his is an original design and must not be released or copied unless applicable fee has been paid or job orde	e fee has	een paid or job order placed. All dimensions and size designations given are subject to verification on job site and adju	and adjustment to fit job conditions.






TRENDS	KITCHENS	to verification on job site and adjustment to fit job conditions.
		d size designations given are subject to veri
Site Address:		r placed. All dimensions an
BC Ref:		ole fee has
Client: Stonewood Homes	Customer: Modified Stillwater	d or copied unless applicat
Date: Client: 25 May 20	Scale: 1:20	ust not be release
Designer: Sarah Molyneux	Dwg: Kitchen Elevation	This is an original design and must not be released or copied unless applicable fee has been paid or job orde



25 May 20 Stol		Jale:	Client:	BC HeT: Site Address:		
Scale: Customer:	Sarah Molyneux	25 May 20				L R H Z D S
		cale:	Customer:			
	Kitchen 3D Perspective	_	Modified Stillwater			KITCHENS





Sarah Molyneity	25 May 20	Client:	3C Ref: S	Site Address:	
	Scale:	Custor			INENDS
Kitchen 3D Perspective		Modified Stillwater			KITCHENS




TRENDS	KITCHENS
Job#:	
: Site Address:	
Client: BC Ref: Stonewood Homes	Customer: Modified Stillwater
Date: 25 May 20	Scale:
Designer: Sarah Molyneux	Dwg: Kitchen 3D Perspective

This is an original design and must not be released or copied unless applicable fee has been paid or job order placed. All dimensions and size designations given are subject to verification on job site and adjustment to fit job conditions.







Key & Specification

Date 22/05/2020



To Site Address

Olivia Stonewood Homes - Modified Stillwater Modified Stillwater

PO Box 16499

Hornby Christchurch 8441

Chilotenulen 044.

Job No 2078 Customer ID 106417 Building Co Order Sales Person Michael Gilbert

Cl	ass	Job Description	Quantity			
Electrical Power:						
	EP011001	Electrical Base for 30 way switchboard	1			
IM	EP025121	Internal flush mounted meter box Please Note: meter box mounted directly above the ducts for the mains cable on the internal side of the wall. No allowance to move meter box for bracing.	1			
R)	EP100082	Rangehood plug socket (no switch) white	1			
Ÿ	EP100110	Smart wiring power sockets for hub white	1			
\forall	EP141001	Voltex classis single power socket 10A white	2			
\forall	EP141021	Voltex classic double power socket horizontal white 10A	19			
*	EP141071	Voltex classic garage door sinlge power socket and press switch 10A white	1			
\mathbb{R}	EP141111	Voltex classic single power socket for dishwasher 10A white	1			
*	EP141151	Voltex classic built in oven conenction & isolation switch max 20m from switchboard & up to 20A max	1			
₩	EP141161	Voltex classic electric hob connection & isolation switch up to 20m from switchboard & 32A max	1			
*	EP141221	Voltex classic hot water cylinder connection standard tarrif white	1			
Ψ	EP210001	Air conditioning outside unit power and isolation switch 16A max single phase	1			
<u>S</u>	EP220001	Smoke detector mains powered with 9V battery backup	2			
C	EP222501	Capping for sockets and/or switches in joinery	1			
\forall	EP901521	Voltex classic heated towel rail power connection & installation Please note: no towel rail included in this costing	2			
Ligi (S)	nting Circuits: EL006001	External 180 degree movement sensor	1			
\sim	EL100110	PDL 600 series white light switch 3 gang IP rated	1			
\otimes	EL110034	Recessed light circuit	26			
•	EL110035	Pendant light circuit	2			
Ē	EL110151	Extractor fan circuit and installation only Please Note: extractor fan not included in costing	1			
2WY	EL110201	2 way light circuit	1			
W	EL130501	Voltex classic 1-gang light switch white	10			
w	EL130510	Voltex classic 3-gang light switch white	2			

EL130515	Voltex classic 4-gang light switch white	1
FL EL180008	Extractor fan/light circuit & install only Please note: fan/light not included	2
AK2 EL202330	Prolux LED downlight DL54 10W 3K 850 lumen white	26
PT0 EL297941	Newtown black 1/L 160mm pendant light with 40W carbon filament lamp	2

Structured Cabling:					
SC001111	Smart wiring base 12 data sockets 20" hub	1			
SC050005	Fibre optic ducted pathway to external demarcation point	1			
₩ SC120151	Voltex classic Cat6 data socket 1Gb/s white	1			
₩ SC240701	Voltex classic TV/data socket cat6 1Gb/s white	2			
₩ SC240801	Voltex classic main TV & data socket cat6 1Gb/s white	1			
Å SC402001	Digital terrestrial aerial suitable for Freeview HD up to 4 TV outlets Please note: Freeview HD reception requires line of sight to the transmitter and signal levels and quality can not be confirmed until a site visit is completed. Any further hardware or upgrade of aerial materials not included in quote.	1			