\$518,000



Lot 95 Chilton Quarter, Rolleston



For Sale

House and Land Package

Dwelling Size	Section Size				
150m²	450m²	3	1	2	2

This home features three bedrooms, master with ensuite and walk-in robe, open plan kitchen, living and dining, family bathroom and internal access double garaging. Well appointed for the sun on an easy care landscaped section, offering quality fixtures and fittings throughout and finished to a high standard this design is sure to impress.

Just twenty minutes from Christchurch, Rolleston has so much to offer. You are spoilt for choice within New Zealand's fasting growing area. Offering retailers, eateries, parks and reserves along with a newly established primary school and Rolleston college in close proximity. Only for a short drive to central Rolleston with a shopping complex to cater all requirements.


Lot 95 Chilton Quarter, Rolleston



Quality cladding selections	Metal pressed tile roof	2.42m ceiling height
1.98m internal door height	Windsor door hardware	Designer kitchen
Bosch appliances	Italian tapware	LED light fittings
Norman Ellison carpets	8.0kw heatpump	Fully landscaped
Window coverings	After care service	10 year Master Build guarantee

Floor Plan:

Location:



Disclaimer: This material is for the use of illustrative and guidance purposes. All efforts have been made by Stonewood Homes Christchurch to ensure the information correctly illustrates the dwelling however Stonewood Homes accept no responsibility for any variances which maybe become apparent once the build commences.

Specification

Lot 95 Chilton Quarter, Rolleston



GENERAL

Guarantee: 10 year Master Build guarantee

Warranty: 365 day warranty period

Insurance: Builders risk insurance

STRUCTURE

Foundation/floor slab: TC1 foundation with 300mm excavation depth

Framing: 2.42m NZ5S 3602:2003 with building wrap – 90mm kiln dried pine

Trusses: Kiln dried pine

Cladding (main): Brick – Austral 70 Series—Origin range

Cladding (feature): James Hardie Linea

ROOFING

Roof: 25° Gerard metal pressed tile

Downpipes: Colorsteel rectangular 75x55mm

Fascia and gutter: Dimond metal fascia and quad gutter

WINDOWS AND DOORS

Entry door: APL 860mm Latitude with urbo lever

Windows: Vantage aluminium joinery with urbo hardware

Garage door: Coloursteel flat panel woodgrain 4.5m

Internal doors: 1980mm Everest (vertical V groove polycore)

Wardrobe doors: MDF flush panel sliders

Window coverings: Roller blinds excluding garage and bathrooms

INTERIOR LINING

Insulation: R2.4 wall batts, R4.0 ceiling batts excluding garage

Plasterboard: GIB board - 10mm to walls, aqualine to bathrooms and 13mm to ceilings

Gib stopping: Grade 4 paint finish in accordance with AS/NZ 2311:2009

Gib external corners: Gib square stop

Painting: Resene Zylone
Soffit linings: Hardiflex 4.5mm

INTERIOR JOINERY

Internal door hardware: Windsor Futura – Apex brushed nickel

Skirting: 60mm bevel

Wardrobe shelving: MDF shelf and rail
Cupboard shelving: MDF shelves x4

Specification

Lot 95 Chilton Quarter, Rolleston



KITCHEN AND LAUNDRY

Kitchen and bench surface: Kitchen cabinetry and sink with TriStone 12mm on negative detail

Tapware: Paffoni Blu BLU180 high spout

Oven: Bosch HBF133BSOA – stainless steel oven

Hob: Bosch PKE611CA1A – stainless steel cooktop

Dishwasher: Bosch SMU50E75AU – stainless steel dishwasher

Rangehood: Bosch DWP96BC50A 600m3 – stainless steel canopy

Laundry tub: Raymor 560x560 laundry tub LE6200

FLOORING

Carpet: Norman Ellison

Vinyl planking: Karndean Knightplank

ELECTRICAL

Showers:

Plugs / Light Fittings: As per plan

Heatpump: Fujitsu 8.0kw ASTG24LFCC

BATHROOMS AND PLUMBING

Vanities: Raymor Brighton 750mm

Mirrors: 1000 x 750 x 4mm polished edge

Toilets: Englefield Evora with standard seat

Bath: Newtech Indus back-to-wall freestanding bath

Tapware: Paffoni Blu BLU071

Shower slides: Paffoni Brio ZSAL194CR

Towel rails: Newtech 5 ladder square heated towel rail

Extractors: Weiss Clearflow FV160

Hot water cylinder: Rheem 250L

Exterior taps: 2

LANDSCAPING

Driveway and patio: Exposed aggregate

Vehicle crossing: Included

Soft landscaping: Hydroseed

Fencing: 1.8m timber paling to boundary with internal fencing and one gate.

Arena curved with moulded wall

Letterbox and clothesline: Urban box on post / Sun King folding frame

Pictorial

Lot 95 Chilton Quarter, Rolleston



Roof profile



Internal doors



Internal door hardware



Front door



Window hardware

Oven



Garage door profile

Ceramic cooktop



Rangehood



Dishwasher



Laundry tub



Kitchen tapware



Vanity



Showers



Bath



Basin mixers



Shower slides



Shower / bath mixers



Toilet



Towel rail









Colour Scheme

Lot 95 Chilton Quarter, Rolleston



EXTERIOR

Roof: Obsidian
Fascia / Gutter / Downpipes: Ebony
Window joinery: Ebony
Front door: Ebony
Front door frame: Ebony

Garage door: Ebony
Garage door frame: Ebony

Soffits: Resene half black white

Exterior cladding (main): Crevole with white mortar

Exterior cladding (feature): Resene all black

INTERIOR

Ceilings: Resene half black white

Walls: Resene black white

Interior doors: Resene black white

Skirting: Resene black white

Carpet: Dalton - Woodland

Vinyl plank: Pale limed oak

Kitchen cabinetry: Melteca - Snow drift

Kitchen benchtop: TriStone 12mm – Pure white on black

pearl negative detail

Tiles (kitchen splashback): White tile (100x300mm) with mid-


night grout

Aluminium wardrobe

surrounds:

White


Exterior:





Interior:




Kitchen:









SITE PLAN NOTES

Refer to Drainage Plan for specific drainage

Refer to sediment control plan in specification and implement where required.

Driveway – By Stonewood Homes as shown OR Driveway and Sump not part of this building

Convey surface water from sealed drive areas to an appropriate approved outfall.

Dimensions are shown to cladding face

Resource Consent Issues:

1/ No RC Issues known

SITE INFORMATION		
Zone	XX	
Wind	XX	
Earthquake	1/2/3/4	
Durability	B/C/D	
Snow	N x at xxm (up to x kPa)	

BUILDING AREA AND SITE COVERAG			
Net Site Area =	538m²		
Building Area (O/V) = (Includes covered areas)	151.56m²		
Max Site Coverage Allowed:	00%		
Actual Site Coverage=	28.17%		

EARTH	IWORKS	
Proposed F.G.L =	xxm	
Proposed F.F.L =	xxm	
FMA level:	xxm	

SITE ASSESSMENT & SOIL REPORT		
Site assessement data supplied from:		
TBC (registered surveyor)		
Phone:	TBC	
Date completed:	XX-XX-XXX	
Levels are relative to:	TBC	

This dwelling has been designed according to the recommendations from: Soil Report by:

XXXXXX Date: XX-XX-XXXX

STONEWOOD

Stonewood Homes 1B, Level 1. 303 Blenheim Rd Upper Riccarton, Christchurch 8041,

Lot 95 Chilton Quarter, Rolleston Proposed Dwelling at: Lot 95 Chilton Quarter, Rolleston

Client:

This plan is developed for the purchaser and is copyright to Stonewood Homes NZ Franchisor Limited.

All dimensions and levels are to be checked and verified on site by contractor prior to commencement of any work

Signed: **SITE PLAN** Drawn By Checked By Kamlesh Standard Plan Windmere 147 Gable Job Number Version 200070 Α

xxxx xxxxx XXXXXX Print Date Sales Scale at A3 26/6/2020 SHC 1:200 Sheet 2 3 OF


CONCEPT

585 165 900 165 760 750 600 750 760 1115

4 280

190 000 190 190

90|| 1 230 90|| 550 || 90



4007 8 8

3 270

550

8**÷**

910 90

3 130 910

870 | 90 810 -

ROOF & WALL CLADDING

25° Pressed Metal Tile by Gerard Profile 70 Series Brick Veneer with50mm cavity James Hardie Smoothboard with 20mm cavity

BUILDING AREA

AREA: 142.41 m² O/F (Perimeter: 56.6m) AREA: 149.39 m² O/V (Perimeter: 57.38m) AREA: 151.56 m² (incl Covered Area 2.17 m²)
AREA: 179.1 m² Roof (Perimeter: 59.71m)

DOOR SCHEDULE		
LABEL	QTY	
710	1	
760	4	
810	2	
2132X900	2	
2.4 X 2.0M 2PSL	1	
2.4 X 2.4M 3PSL	1	
2.4 X 1.6 2PSL	1	
4.5M GARAGE DOOR	1	

WINDOW SCHEDULE			
LABEL	QTY		
WA1415T	2		
WA518	1		
WA1106	1		
WA1112	1		
WA1406	2		
WA2118T	2		
WA21075	2		
WA21075T	2		
DSA2124-3	2		

GENERAL FLOOR PLAN NOTES

SMOKE ALARMS (hush type)



Smoke Alarms to be fitted within 3.0m of sleeping areas and on Escape routes, as indicated on plan. Refer to Construction Schedule (Page 2 & 3) in the Specification for more information

MISCELLANEOUS:

Dimensions shown are to the frame,

GIB thickness not shown.

Refer to Construction Schedule (Page 2 & 3 of Specification) for additional construction information Entry through external doors

Mechanical ventilation

Air Seals to have PEF rod & low expansion foam All windows and doors centered in room unless shown otherwise

Gas Bottles to be installed 1500mm away from any ignition source as per the Gas Cylinder diagram in the Gas section of the main specification. (Anything electrical is an ignition source)

BUILDING WRAP

7mm Ecoply Barrier OR Tekton OR Tyvek, refer to manufacturers specifications attached

WALL FRAMING Stud Height: 2420 mm

FLOOR FINISHES Carpet

Vinyl Plank WATER HEATING Electric OR Gas

KITCHEN HOB

Gas Hob with Heat resistant splash back OR Electric Hob

DOORS

Internal Height: 1980mm

Front Door Type: xxx



Stonewood Homes 1B, Level 1. 303 Blenheim Rd Upper Riccarton, Christchurch 8041,

New Zealand
Phone: +64 3 354 2344
Fax: +64 3 354 2342
Email: info@stonewood.co.nz
Website: www.stonewood.co.nz

Client:

Lot 95 Chilton Quarter, Rolleston Proposed Dwelling at: Lot 95 Chilton Quarter, Rolleston

This plan is developed for the purchaser and is copyright to Stonewood Homes NZ Franchisor Limited.

All dimensions and levels are to be checked and verified on site by contractor prior to commencement of any work

FLOOR PLAN

Signed:


Drawn By XXXX XXXXX Kamlesh XXXXXX Standard Plan Print Date Sales Scale at A 1:100 Windmere 147 Gable 26/6/2020 SHC Job Number Version Sheet 200070 Α 2 4

CONCEPT






RISK MATRIX ASSESSMENT				
ELEVATION A				
RISK CRITERIA	RISK	SCORE		
Wind Zone	XXX	0		
Number of Stories	XXX	0		
Roof Wall Junction	XXX	0		
Eaves Width	XXX	0		
Building Envelope	XXX	0		
Decks & Balconies	XXX	0		
Total		XX		





B ELEVATION B 4 / 1:100

RISK MATRIX ASSESSMENT			
ELEVATION B			
RISK CRITERIA	RISK	SCORE	
Wind Zone	XXX	0	
Number of Stories	XXX	0	
Roof Wall Junction	XXX	0	
Eaves Width	xxx	0	
Building Envelope	xxx	0	
Decks & Balconies	xxx	0	
Total		XX	



GENERAL ELEVATION NOTES Air Barrier to unlined wall and gables, refer to the Construction Schedule in the Specification for type. This sheet to be read in conjunction with the Risk

Driveway to fall from 20mm max below garage rebates (By Others).

LEGEND

1 - 25° Pressed Metal Tile by Gerard Profile 2 - 70 Series Brick Veneer with 50mm cavity 3 - James Hardie Smoothboard with 20mm

4 - Dimond Fascia and Gutter System

cavity Cladding

5 - Aluminum Joinery 6 - Colorsteel Downpipe's

8 - Outdoor Heatpump Unit

7 - Meter Box

9 - Terminal Vent

Matrix in specification.

Key SS: Security Stay SG: Safety Glass

56
on .
-
O
٦.
_
ñ
б
_
=
2
_
a .
_
\sim
\Box
~
=
w
セ
=
w
_
ゑ
c)
_
$\overline{}$
\sim
≖
-
Lot 95 Chilto
<i>-</i> i
\circ
2
ä
٠,
+
0
٧.
_
_
0
orking/06.25.20/L
4,
\sim
٠.
rO.
~
\circ
<u> </u>
Ď.
_
_
_
-
=
o
>
S.
-
<u>~</u>
ē
횯
arte
arte
narteı
Juarter
Quarter
Quarter
n Quarter
on Quarter
6
6
6
6
6
6
6
6
6
6
6
6
ot 95 Chilton
5.20/Lot 95 Chilton
ot 95 Chilton
ot 95 Chilton
ot 95 Chilton
ot 95 Chilton
ot 95 Chilton
ot 95 Chilton
ot 95 Chilton
ot 95 Chilton
ot 95 Chilton
ot 95 Chilton
ot 95 Chilton
ot 95 Chilton
ownloads/06.25.20/Lot 95 Chilton
ownloads/06.25.20/Lot 95 Chilton
ot 95 Chilton
ownloads/06.25.20/Lot 95 Chilton
ownloads/06.25.20/Lot 95 Chilton
ownloads/06.25.20/Lot 95 Chilton
ownloads/06.25.20/Lot 95 Chilton
ownloads/06.25.20/Lot 95 Chilton
ownloads/06.25.20/Lot 95 Chilton

RISK MATRIX ASSESSMENT				
	ELEVATION C			
	RISK CRITERIA	RISK	SCORE	
	Wind Zone	XXX	0	
	Number of Stories	XXX	0	
	Roof Wall Junction	XXX	0	
	Eaves Width	XXX	0	
	Building Envelope	XXX	0	
	Decks & Balconies	XXX	0	
	Total		XX	



C ELEVATION C 4 1:100

D ELEVATION D 4 1:100

RISK MATRIX	ASSESSI	MENT
ELEVA	TION D	
RISK CRITERIA	RISK	SCORE
Wind Zone	XXX	0
Number of Stories	XXX	0
Roof Wall Junction	XXX	0
Eaves Width	XXX	0
Building Envelope	XXX	0
Decks & Balconies	xxx	0
Total		XX

STONEWOOD	Client : Lot 95 Chilton Quarter, Rolleston	ELEV	ATIONS	6	
HOMES	Proposed Dwelling at: Lot 95 Chilton Quarter, Rolleston	Drawn By Kamlesh	Checked By		LBP#
	Lot 95 Chillon Quarter, Rolleston	Standard Plan	Print Date	Sales	Scale at A3
Stonewood Homes		Windmere 147 Gable	26/6/2020	SHC	1:100
1B, Level 1. 303 Blenheim Rd Upper Riccarton, Christchurch 8041,		Job Number	Version	Revision	Sheet
New Zealand Phone: +64 3 354 2344		200070	A	2	6
Phone: +64 3 354 2344 Fax: +64 3 354 2342 Email: info@stonewood.co.nz Website: www.stonewood.co.nz	This plan is developed for the purchaser and is copyright to Stonewood Homes NZ Franchisor Limited. All dimensions and levels are to be checked and verified on site by contractor prior to commencement of any work	Version: CONCI	EPT		OF XX

GENERAL ELEVATION NOTES

Air Barrier to unlined wall and gables, refer to the Construction Schedule in the Specification for type.


This sheet to be read in conjunction with the Risk Matrix in specification.

Driveway to fall from 20mm max below garage rebates (By Others).

Key SS: Security Stay SG: Safety Glass

LEGEND

- 1 25° Pressed Metal Tile by Gerard Profile
- 2 70 Series Brick Veneer with 50mm cavity
- 3 James Hardie Smoothboard with 20mm cavity Cladding
- 4 Dimond Fascia and Gutter System
- 5 Aluminum Joinery
- 6 Colorsteel Downpipe's
- 7 Meter Box
- 8 Outdoor Heatpump Unit
- 9 Terminal Vent



manufacturers specifications

ENTRY

GENERAL ELEVATION NOTES

Refer to the Construction Schedule (Page 2 & 3) in the Specification for further information.

	INSULATION
Wall -	Pink Batts R Wall Batts
Ceiling -	Pink Batts R Ceiling Batts

LEGEND
1-
2 -
3 -
4 -
5 -
6 -
7 -
8 -
9 -
10 -
11 -
12 -
13 -
14 -
15 -



Fixings shall comply with NZS 3604:2011 Section 4 Durability Tables 4.1-4.3

CONCRETE STRENGTH

All concrete to comply with NZS3604:2011 Section 4 Durability Clause 4.5.2

TIMBER GRADE

Timber members specified on these drawings are to be a minimum of SG8 strength graded as per NZS3604:2011

B SECTION B 4 /1.50

Refer to

foundation

PORCH

C SECTION C 4 1.50

Truss Design to Manufacturers

Specifications

to u/s of battens

BEDROOM 3

2 137 to u/s off soffit

2 132 to u/s of lintel

refer to

specific foundation detail

STONEWOOD HOMES

Stonewood Homes 1B, Level 1. 303 Blenheim Rd Upper Riccarton, Christchurch 8041,

New Zealand
Phone: +64 3 354 2344
Fax: +64 3 354 2342
Email: info@stonewood.co.nz
Website: www.stonewood.co.nz

Client: Lot 95 Chilton Quarter, Rolleston Proposed Dwelling at: Lot 95 Chilton Quarter, Rolleston

This plan is developed for the purchaser and is copyright to Stonewood Homes NZ Franchisor Limited.

All dimensions and levels are to be checked and verified on site by contractor prior to commencement of any work


Signed: **CROSS SECTION** Drawn By xxxx xxxxx XXXXXX Standard Plan Print Date Sales Scale at A 26/6/2020 SHC 1:50 Windmere 147 Gable Sheet Job Number Version 7

200070 Α 2

CONCEPT

OF

XX



00۷


Benchtop Colour:

12mm square edge Tristone in Pure White


Melteca Snowdrift Naturale


z
9-B
320
2/
-19
64
30

Designer: Sarah Molyneux	Date: Client: Stonewood Homes	BC Ref: Site Address: Lot 95 Chilton Quarter 200070	Job#: 46065	TRENDS
_{Dwg:} Kitchen Plan	Scale: Customer:	Dollasion		KITCHENS
This is an original design and m	This is an original design and must not be released or copied unless applicable fee has been paid or job order		placed. All dimensions and size designations given are subject to verification on job site and adjustment to fit job condi	on job site and adjustment to fit job conditions.




Designer: Sarah Molyneux	Date: 13 Jul 20	Olient: Stonewood Homes	BC Ref: Site Address: Lot 95 Chilton Quarter 200070	Job#: 46065	TRENDS
Dwg: Kitchen Elevation	Scale: 1 : 20	Customer:	DOMESTO		KITCHENS
This is an original design and n	nust not be relea	used or copied unless applicate	his is an original design and must not be released or copied unless applicable fee has been paid or job order placed. All dimension	s and size designations given are subject t	o verification on job site and adjustment to fit job conditions.






Designer: Sarah Molyneux	Date: 13 Jul 20	Client: Stonewood Homes	200070	Site Address:	Job#: 46065	TRENDS
Dwg: Kitchen Elevation	Scale: 1:20	Customer:				KITCHENS
This is an original design and must not be released or copied unless applicable fee has been paid or job order	must not be releas	ed or copied unless applicak	ole fee has	s been paid or job order placed. All dimensions and size	designations given are subject to verificatic	on on job site and adjustment to fit job conditions.



Designer: Sarah Molyneux	Date: 13 Jul 20	Client: Stonewood Homes	BC Ref: Site Address: Lot 95 Chilton Quarter 200070	Job#: 46065	TRENDS
Dwg: Kitchen 3D Perspective	Scale:	Customer:			KITCHENS
This is an original design and mu	ıst not be relea	sed or copied unless applica	This is an original design and must not be released or copied unless applicable fee has been paid or job order placed. All dimensions and size	ns and size designations given are subject to verificati	ification on job site and adjustment to fit job conditions.






SMART SYSTEMS

Lincoln, Christchurch Christchurch Web: smartsystems.net.nz info@smartsystems.net.nz Email:

Drawing Not To Scale



Key & Specification

Date 28/05/2020



To

Olivia Stonewood Homes - Lot 650 Flemington

Customer ID 106421

PO Box 16499

Job No 2083

Hornby

Christchurch 8441

Site Address

Lot 650 Flemington Flemington

Building Co Order Sales Person Michael Gilbert

Class	Job Description	Quantity
Electrical Power:		
EP011001	Electrical Base for 30 way switchboard	1
<u>₩</u> EP025121	Internal flush mounted meter box Please Note: meter box mounted directly above the ducts for the mains cable on the internal side of the wall. No allowance to move meter box for bracing.	1
P100082	Rangehood plug socket (no switch) white	1
♀ EP100110	Smart wiring power sockets for hub white	1
¥ EP141001	Voltex classis single power socket 10A white	2
¥ EP141021	Voltex classic double power socket horizontal white 10A	19
₩ EP141071	Voltex classic garage door sinlge power socket and press switch 10A white	1
₩ EP141111	Voltex classic single power socket for dishwasher 10A white	1
₩ EP141151	Voltex classic built in oven conenction & isolation switch max 20m from switchboard & up to 20A max	1
₩ EP141161	Voltex classic electric hob connection & isolation switch up to 20m from switchboard & 32A max	1
₩ EP141221	Voltex classic hot water cylinder connection standard tarrif white	1
⇔ EP210001	Air conditioning outside unit power and isolation switch 16A max single phase	1
S EP220001	Smoke detector mains powered with 9V battery backup	3
₩ EP901521	Voltex classic heated towel rail power connection & installation Please note: no towel rail included in this costing	2
ighting Circuits:		
S EL006001	External 180 degree movement sensor	1
EL100101	PDL 600 series white light switch 1 gang IP rated	1
EL100110	PDL 600 series white light switch 3 gang IP rated	1
S EL110034	Recessed light circuit	30
EL110035	Pendant light circuit	2
wy EL110201	2 way light circuit	2
EL130501	Voltex classic 1-gang light switch white	12
EL130505	Voltex classic 2-gang light switch white	3
EL130510	Voltex classic 3-gang light switch white	1

FL EL180008	Extractor fan/light circuit & install only Please note: fan/light not included	2
AK2 EL202330	Prolux LED downlight DL54 10W 3K 850 lumen white	30
PT0 EL297941	Newtown black 1/L 160mm pendant light with 40W carbon filament lamp	2
Structured Cablin	g:	
SC001111	Smart wiring base 12 data sockets 20" hub	1
SC050005	Fibre optic ducted pathway to external demarcation point	1
₩ SC120151	Voltex classic Cat6 data socket 1Gb/s white	1
₩ SC240701	Voltex classic TV/data socket cat6 1Gb/s white	1
₩ SC240801	Voltex classic main TV & data socket cat6 1Gb/s white	1
<u>Å</u> ″ SC402001	Digital terrestrial aerial suitable for Freeview HD up to 4 TV outlets Please note: Freeview HD reception requires line of sight to the transmitter and signal levels and quality can not be confirmed until a site visit is completed. Any further hardware or upgrade of aerial materials not included in quote.	1